

## 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 1 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description)	: NON-WOVEN COFFEE/TEA/STEW/CHINESE HERB BAG (不織布咖啡及茶滷中藥包用過濾湯袋)
樣品包裝/數量(Sample Package/Quantity)	: 散裝/1卷 (BULK PACKAGING/1卷)
樣品保存方式(Sample Packaging)	: 室溫 (ROOM TEMPERATURE)
樣品型號(Style/Item No.)	: ES20
樣品批號(Lot No.)	: 02003
樣品材質(Sample Material)	: 食品級ET複合纖維不織布(PE/PET) (ET BICOMPONENT FIBER NON-WOVEN(PE/PET))
送樣廠商(Sample Submitted By)	: 易廷企業有限公司 (YI TING NON-WOVEN CO., LTD.)
送樣廠商地址/電話/聯絡人(Company Address/Tel/Contact Person)	: 桃園市龜山區文明路66-2號/03-328-6585/李威興 (NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN/03-328-6585/李威興)
製造日期(Manufacturing Date)	: 20200308
有效日期(Expiry Date)	: 20300307
原產國(Country of Origin)	: 台灣 (TAIWAN)
相同材質/顏色樣品名稱(Sample Description of Same Material/Color)	: 不織布-蛋糕用包裝布
收件日期(Sample Receiving Date)	: 2020/04/07
測試期間(Testing Period)	: 2020/04/07 TO 2020/04/16

### 測試需求(Test Requested) :

- (1) 依據客戶指定, 參考中華民國食品器具容器包裝衛生標準 (102.08.20部授食字第1021350146號令修正) 進行測試. 測試項目請參閱測試結果表格. / As specified by client, with reference to Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146 amended on 2013/08/20) to conduct test. Please refer to the result table for testing item(s).
- (2) 依據客戶指定, 參考中華民國食品安全衛生管理法(108.06.12)第26條進行測試. 測試項目請參閱測試結果表格. / As specified by client, with reference to Act Governing Food Sanitation Article 26 (amended and promulgated on Jun. 12, 2019) to conduct test. Please refer to the result table for testing item(s).

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

蕭志祥  
蕭志祥 / 副理  
化學實驗室-台北  
台灣檢驗科技股份有限公司  
報告簽署人



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 2 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

### 測試結果(Test Results)

測試部位(PART NAME)No. 1 : 白色不織布 (WHITE NONWOVEN FABRIC)

(1)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	LOQ/LOD	結果 (Result)	限值 (Limit)
				No. 1	
★鉛 / Lead (Pb)	ppm	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告), 以ICP-AES分析. / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018). Analysis was performed by ICP-AES.	5	n. d.	100
★鎘 / Cadmium (Cd)	ppm		0.5	n. d.	100
★高錳酸鉀消耗量-(水, 95°C, 30分鐘) / Consumption of potassium permanganate-(water, 95°C, 30 min)	ppm	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告). / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018).	3	n. d.	10
★重金屬(以鉛計)-(4%醋酸, 95°C, 30分鐘) / Heavy metal (as Pb)-(4% acetic acid, 95°C, 30 min)	ppm		-	<1	1
★著色劑-(水, 95°C, 30分鐘) / Colouring agent-(water, 95°C, 30 min)	ppm	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告). / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018).	50	未檢出 / Not detected	-
★著色劑-(4%醋酸, 95°C, 30分鐘) / Colouring agent-(4% acetic acid, 95°C, 30 min)	ppm		50	未檢出 / Not detected	-
★著色劑-(正庚烷, 25°C, 1小時) / Colouring agent-(n-Heptane, 25°C, 1 h)	ppm		50	未檢出 / Not detected	-
★著色劑-(20%酒精, 60°C, 30分鐘) / Colouring agent-(20% alcohol, 60°C, 30 min)	ppm		50	未檢出 / Not detected	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 3 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

(1)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	LOQ/LOD	結果 (Result)	限值 (Limit)
				No. 1	
★螢光增白劑 / Fluorescent Brightening Agents	**	食品器具、容器、包裝檢驗方法-塑膠淋膜紙類製品之檢驗(102年9月6日部授食字第1021950329號公告)。 / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastic Coated Paper Products (MOHW Food No. 1021950329 announced, September 6, 2013).	-	未檢出 / Not detected	不得檢出 / Negative
★鄰苯二甲酸二(2-乙基己基)酯 / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No. : 117-81-7)	%	CNS 15138-1 (民國101年), 以氣相層析 / 質譜儀檢測。 / According to CNS 15138-1 (2012). Analysis was performed by GC/MS.	0.003	n. d.	0.1
★鄰苯二甲酸二丁酯 / DBP (Di-n-butyl phthalate) (CAS No. : 84-74-2)	%		0.003	n. d.	0.1
★鄰苯二甲酸丁苄甲酯 / BBP (Butyl Benzyl phthalate) (CAS No. : 85-68-7)	%		0.003	n. d.	0.1
★鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No. : 117-84-0)	%		0.003	n. d.	0.1
★鄰苯二甲酸二異壬酯 / DINP (Diisononyl phthalate) (CAS No. : 28553-12-0; 68515-48-0)	%		0.01	n. d.	0.1
★鄰苯二甲酸二甲酯 / DMP (Dimethyl phthalate) (CAS No. : 131-11-3)	%		0.003	n. d.	0.1
★鄰苯二甲酸二異癸酯 / DIDP (Diisodecyl phthalate) (CAS No. : 26761-40-0; 68515-49-1)	%		0.01	n. d.	0.1
★鄰苯二甲酸二乙酯 / DEP (Diethyl phthalate) (CAS No. : 84-66-2)	%		0.003	n. d.	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 4 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

(1)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	LOQ/LOD	結果 (Result)	限值 (Limit)
				No. 1	
★鄰苯二甲酸二(2-乙基己基)酯 (正庚烷, 25°C, 1小時) / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No.: 117-81-7) (n-Heptane, 25°C, 1 h)	ppm	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告), 以氣相層析/質譜儀檢測. / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018). Analysis was performed by GC/MS.	0.05	n. d.	1.5
★鄰苯二甲酸二丁酯 (正庚烷, 25°C, 1小時) / DBP (Di-n-butyl phthalate) (CAS No.: 84-74-2) (n-Heptane, 25°C, 1 h)	ppm		0.05	n. d.	0.3
★鄰苯二甲酸丁苄甲酯 (正庚烷, 25°C, 1小時) / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7) (n-Heptane, 25°C, 1 h)	ppm		0.05	n. d.	30
★鄰苯二甲酸二異癸酯 (正庚烷, 25°C, 1小時) / DIDP (Diisodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1) (n-Heptane, 25°C, 1 h)	ppm		0.5	n. d.	9
★鄰苯二甲酸二異壬酯 (正庚烷, 25°C, 1小時) / DINP (Diisononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0) (n-Heptane, 25°C, 1 h)	ppm		0.5	n. d.	9
★己二酸二(2-乙基己基)酯 (正庚烷, 25°C, 1小時) / DEHA (Di-2-ethylhexyl Adipate) (CAS No.: 103-23-1) (n-Heptane, 25°C, 1 h)	ppm		0.05	n. d.	18

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 5 of 9

易廷企業有限公司  
 YI TING NON-WOVEN CO., LTD.  
 桃園市龜山區文明路66-2號  
 NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

(2)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	LOQ/LOD	結果 (Result)	限值 (Limit)
				No. 1	
★耐熱性試驗 / Heat Tolerance (130°C, 1 h)	-	塑膠類食品器具容器包裝之耐熱溫度標示符合性試驗方法(106年11月13日衛授食字第1061902219號公告)。 / According to Methods of Test for Labeling Conformance of Heat Tolerance of Plastic Food Utensils, Containers and Packages (MOHW Food No. 1061902219 announced, November 13, 2017).	-	功能性正常，無變褪色 / No appearance change	功能性正常，無變褪色 / No appearance change

**備註(Note):**

- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性做判斷。(The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.)
- 本報告不得分離或擷錄使用。 / The report is invalid if it is partly reproduced or used.
- 0.1 wt% = 1000 ppm
- LOQ = Limit of Quantification (定量極限) ; LOD = Limit of Detection(偵測極限)
- n. d. = Not Detected (未檢出) = 小於 (less than) LOQ / LOD
- "-" = Not Regulated (無規格值)
- \*\* = Qualitative analysis (No Unit) 定性分析(無單位)
- 測試項目名稱旁有★者，為本實驗室通過衛生福利部食品藥物管理署認證項目。(The test method marked with ★ is accredited by MOHW.)
- 測試項目名稱旁有●者，為本實驗室擴充原方法適用基質，非屬食藥署該項認證範圍。(When there is a ● next to the test item, the test method was applied to the material out of the scope from MOHW accreditation.)
- 此用途為自主品管報告。(This testing report is subject to independent quality control.)

## 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 6 of 9

易廷企業有限公司


YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。\*  
(The tested sample / part is marked by an arrow if it's shown on the photo.)

### CT/2020/40229



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 7 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

以下為申請廠商委託測試項目、測試方法、定量/偵測極限；

( The information requested from client is shown as below : )

CT/2020/40229

測試項目 (Test Items)	測試方法 (Method)	LOQ / LOD
★鉛 / Lead (Pb)	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告), 以ICP-AES分析。 / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018). Analysis was performed by ICP-AES.	詳見測試結果之定量 / 偵測極限(Please refer to the result table above.)
★鎘 / Cadmium (Cd)		
★高錳酸鉀消耗量-(水, 95°C, 30分鐘) / Consumption of potassium permanganate-(water, 95°C, 30 min)	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告). / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018).	
★重金屬(以鉛計)-(4%醋酸, 95°C, 30分鐘) / Heavy metal (as Pb)-(4% acetic acid, 95°C, 30 min)		
★著色劑-(水, 95°C, 30分鐘) / Colouring agent-(water, 95°C, 30 min)		
★著色劑-(4%醋酸, 95°C, 30分鐘) / Colouring agent-(4% acetic acid, 95°C, 30 min)		
★著色劑-(正庚烷, 25°C, 1小時) / Colouring agent-(n-Heptane, 25°C, 1 h)		
★著色劑-(20%酒精, 60°C, 30分鐘) / Colouring agent-(20% alcohol, 60°C, 30 min)	食品器具、容器、包裝檢驗方法-塑膠淋膜紙類製品之檢驗(102年9月6日部授食字第1021950329號公告). / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastic Coated Paper Products (MOHW Food No. 1021950329 announced, September 6, 2013).	
★螢光增白劑 / Fluorescent Brightening Agents		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 8 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

以下為申請廠商委託測試項目、測試方法、定量/偵測極限；

( The information requested from client is shown as below : )

CT/2020/40229

測試項目 (Test Items)	測試方法 (Method)	LOQ / LOD
★鄰苯二甲酸二(2-乙基己基)酯 / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No. : 117-81-7)	CNS 15138-1 (民國101年), 以氣相層析/質譜儀檢測. / According to CNS 15138-1 (2012). Analysis was performed by GC/MS.	詳見測試結果之定量 /偵測極限(Please refer to the result table above.)
★鄰苯二甲酸二丁酯 / DBP (Di-n-butyl phthalate) (CAS No. : 84-74-2)		
★鄰苯二甲酸丁苄甲酯 / BBP (Butyl Benzyl phthalate) (CAS No. : 85-68-7)		
★鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No. : 117-84-0)		
★鄰苯二甲酸二異壬酯 / DINP (Diisononyl phthalate) (CAS No. : 28553-12-0; 68515-48-0)		
★鄰苯二甲酸二甲酯 / DMP (Dimethyl phthalate) (CAS No. : 131-11-3)		
★鄰苯二甲酸二異癸酯 / DIDP (Diisodecyl phthalate) (CAS No. : 26761-40-0; 68515-49-1)		
★鄰苯二甲酸二乙酯 / DEP (Diethyl phthalate) (CAS No. : 84-66-2)		
★耐熱性試驗 / Heat Tolerance (130°C, 1 h)	塑膠類食品器具容器包裝之耐熱溫度標示符合性試驗方法 (106年11月13日衛授食字第1061902219號公告). / According to Methods of Test for Labeling Conformance of Heat Tolerance of Plastic Food Utensils, Containers and Packages (MOHW Food No. 1061902219 announced, November 13, 2017).	



# 測試報告

## Test Report

報告編號(No.): CT/2020/40229 報告日期(Date): 2020/04/16 頁數(Page) : 9 of 9

易廷企業有限公司

YI TING NON-WOVEN CO., LTD.

桃園市龜山區文明路66-2號

NO. 66-2, WENMING RD., GUISHAN DIST., TAOYUAN CITY 33382, TAIWAN

以下為申請廠商委託測試項目、測試方法、定量/偵測極限；

( The information requested from client is shown as below : )

CT/2020/40229

測試項目 (Test Items)	測試方法 (Method)	LOQ / LOD
★鄰苯二甲酸二(2-乙基己基)酯 (正庚烷, 25°C, 1小時) / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No. : 117-81-7) (n-Heptane, 25°C, 1 h)	食品器具、容器、包裝檢驗方法-塑膠類之檢驗(107年10月4日衛授食字第1071901983號公告), 以氣相層析/質譜儀檢測. / According to Methods of Test for Food Utensils, Containers and Packages - Test of Plastics (MOHW Food No. 1071901983 announced, Oct 04, 2018). Analysis was performed by GC/MS.	詳見測試結果之定量/偵測極限(Please refer to the result table above.)
★鄰苯二甲酸二丁酯 (正庚烷, 25°C, 1小時) / DBP (Di-n-butyl phthalate) (CAS No. : 84-74-2) (n-Heptane, 25°C, 1 h)		
★鄰苯二甲酸丁苄甲酯 (正庚烷, 25°C, 1小時) / BBP (Butyl Benzyl phthalate) (CAS No. : 85-68-7) (n-Heptane, 25°C, 1 h)		
★鄰苯二甲酸二異癸酯 (正庚烷, 25°C, 1小時) / DIDP (Diisodecyl phthalate) (CAS No. : 26761-40-0; 68515-49-1) (n-Heptane, 25°C, 1 h)		
★鄰苯二甲酸二異壬酯 (正庚烷, 25°C, 1小時) / DINP (Diisononyl phthalate) (CAS No. : 28553-12-0; 68515-48-0) (n-Heptane, 25°C, 1 h)		
★己二酸二(2-乙基己基)酯 (正庚烷, 25°C, 1小時) / DEHA (Di-2-ethylhexyl Adipate) (CAS No. : 103-23-1) (n-Heptane, 25°C, 1 h)		

測試項目名稱旁有★者，為本實驗室通過衛生福利部食品藥物管理署認證項目。(The test method marked with ★ is accredited by MOHW. )

測試項目名稱旁有●者，為本實驗室擴充原方法適用基質，非屬食藥署該項認證範圍。(When there is a ● next to the test item, the test method was applied to the material out of the scope from MOHW accreditation. )